



CAP 1167

N3067E

1982 Cessna 182R - N3067E

Date Code:



18-Sep-2015



Maximum Gross Ramp Weight	3110 lbs
Maximum Gross Takeoff Weight	3100 lbs
Maximum Landing Weight	2950 lbs
Basic Empty Weight	1847.04 lbs
Empty Weight Moment	68381.3 in-lbs
Empty Weight CG	37.0221 in
Useful Load	1262.96 lbs
Useful Load with full fuel	734.96 lbs
Maximum Fuel Capacity	88 gals
"Installed Baggage" Weight	64 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	37.0221	1847.0	68.38
Usable Fuel (gal)		46.5	
Pilot & Front Pax		37	
Rear Seat Pax		74	
Baggage Area A		97	
Baggage Area B		116	
Baggage Area C		129	
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-10.0	-0.47
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)		46.5	
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	3110 lbs
Maximum Gross Takeoff Weight	3100 lbs
Maximum Landing Weight	2950 lbs
Basic Empty Weight	2047.08 lbs
Empty Weight Moment	80358.2 in-lbs
Empty Weight CG	39.255 in
Useful Load	1062.92 lbs
Useful Load with full fuel	540.92 lbs
Maximum Fuel Capacity	87 gals
"Installed Baggage" Weight	30 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	39.255	2047.1	80.36
Usable Fuel (gal)		46.5	
Pilot & Front Pax		37	
Rear Seat Pax		74	
Baggage Area A		97	
Baggage Area B		116	
Baggage Area C		129	
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-10.0	-0.47
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)		46.5	
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	3110 lbs
Maximum Gross Takeoff Weight	3100 lbs
Maximum Landing Weight	2950 lbs
Basic Empty Weight	1918.61 lbs
Empty Weight Moment	75272.8 in-lbs
Empty Weight CG	39.233 in
Useful Load	1191.39 lbs
Useful Load with full fuel	669.39 lbs
Maximum Fuel Capacity	87 gals
"Installed Baggage" Weight	0 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	39.233	1918.6	75.27
Usable Fuel (gal)		46.5	
Pilot & Front Pax		37	
Rear Seat Pax		74	
Baggage Area A		97	
Baggage Area B		116	
Baggage Area C		129	
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-10.0	-0.47
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)		46.5	
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	2558 lbs
Maximum Gross Takeoff Weight	2550 lbs
Maximum Landing Weight	2550 lbs
Basic Empty Weight	1736.75 lbs
Empty Weight Moment	73480.7 in-lbs
Empty Weight CG	42.31 in
Useful Load	821.25 lbs
Useful Load with full fuel	521.25 lbs
Maximum Fuel Capacity	50 gals
"Installed" Baggage Weight	15 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	42.31	1736.8	73.48
Usable Fuel (gal)	48		
Pilot & Front Pax			
Rear Seat Pax			
Baggage Area A			
Baggage Area B			
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-8.5	-0.41
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)	48		
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	3110 lbs
Maximum Gross Takeoff Weight	3100 lbs
Maximum Landing Weight	2950 lbs
Basic Empty Weight	2038.38 lbs
Empty Weight Moment	81110.4 in-lbs
Empty Weight CG	39.7916 in
Useful Load	1071.62 lbs
Useful Load with full fuel	549.62 lbs
Maximum Fuel Capacity	87 gals
"Installed Baggage" Weight	36 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	39.7916	2038.4	81.11
Usable Fuel (gal)		46.5	
Pilot & Front Pax		37	
Rear Seat Pax		74	
Baggage Area A		97	
Baggage Area B		116	
Baggage Area C		129	
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-10.0	-0.47
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)		46.5	
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	2558 lbs
Maximum Gross Takeoff Weight	2550 lbs
Maximum Landing Weight	2550 lbs
Basic Empty Weight	1486.2 lbs
Empty Weight Moment	55656.1 in-lbs
Empty Weight CG	37.45 in
Useful Load	1071.8 lbs
Useful Load with full fuel	831.8 lbs
Maximum Fuel Capacity	40 gals
"Installed" Baggage Weight	31.4 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.



Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	37.45	1486.2	55.66
Usable Fuel (gal)	48		
Pilot & Front Pax			
Rear Seat Pax			
Baggage Area A			
Baggage Area B			
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-8.5	-0.41
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)	48		
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	3110 lbs
Maximum Gross Takeoff Weight	3100 lbs
Maximum Landing Weight	2950 lbs
Basic Empty Weight	2040.63 lbs
Empty Weight Moment	80857.6 in-lbs
Empty Weight CG	39.62 in
Useful Load	1069.37 lbs
Useful Load with full fuel	547.37 lbs
Maximum Fuel Capacity	87 gals
"Installed Baggage" Weight	44 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.

Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	39.62	2040.6	80.86
Usable Fuel (gal)		46.5	
Pilot & Front Pax		37	
Rear Seat Pax		74	
Baggage Area A		97	
Baggage Area B		116	
Baggage Area C		129	
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-10.0	-0.47
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)		46.5	
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



Maximum Gross Ramp Weight	2558 lbs
Maximum Gross Takeoff Weight	2550 lbs
Maximum Landing Weight	2550 lbs
Basic Empty Weight	1547.6 lbs
Empty Weight Moment	59799.3 in-lbs
Empty Weight CG	38.64 in
Useful Load	1010.4 lbs
Useful Load with full fuel	770.4 lbs
Maximum Fuel Capacity	40 gals
"Installed Baggage" Weight	18 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.

Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	38.64	1547.6	59.80
Usable Fuel (gal)	48		
Pilot & Front Pax	37		
Rear Seat Pax	73		
Baggage Area A	95		
Baggage Area B	123		
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-8.5	-0.41
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)	48		
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			



CAP 1187

N9887L

1986 Cessna 172P - N9887L

Date Code:



16-Sep-2013



Maximum Gross Ramp Weight	2558 lbs
Maximum Gross Takeoff Weight	2550 lbs
Maximum Landing Weight	2550 lbs
Basic Empty Weight	1599.46 lbs
Empty Weight Moment	61048.9 in-lbs
Empty Weight CG	38.17 in
Useful Load	958.54 lbs
Useful Load with full fuel	658.54 lbs
Maximum Fuel Capacity	50 gals
"Installed Baggage" Weight	0 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.

Loading Problem		ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight		38.17	1599.5	61.05
Usable Fuel (gal)		48		
Pilot & Front Pax		37		
Rear Seat Pax		73		
Baggage Area A		95		
Baggage Area B		123		
RAMP WEIGHT/MOMENT				
Startup Fuel Allowance			-8.5	-0.41
TAKEOFF WEIGHT/MOMENT				
Locate point on the Center of Gravity Moment Envelope, mark with "X"				
Fuel Expended (gal)		48		
LANDING WEIGHT/MOMENT				
Locate point on the Center of Gravity Moment Envelope, mark with "O"				
ZERO FUEL WEIGHT/MOMENT				
Locate point on the Center of Gravity Moment Envelope, mark with "E"				
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.				



Maximum Gross Ramp Weight	2558 lbs
Maximum Gross Takeoff Weight	2550 lbs
Maximum Landing Weight	2550 lbs
Basic Empty Weight	1549.15 lbs
Empty Weight Moment	59948.1 in-lbs
Empty Weight CG	38.6974 in
Useful Load	1008.85 lbs
Useful Load with full fuel	768.85 lbs
Maximum Fuel Capacity	40 gals
"Installed Baggage" Weight	40 lbs

This information can be used for planning purposes as long as the data code is valid. It is the pilot's responsibility to use the latest available information when calculating the weight and balance.

Loading Problem	ARM (in)	Weight (lbs)	Moment (in-lbs/1000)
Basic Empty Weight	38.6974	1549.2	59.95
Usable Fuel (gal)	48		
Pilot & Front Pax	37		
Rear Seat Pax	73		
Baggage Area A	95		
Baggage Area B	123		
RAMP WEIGHT/MOMENT			
Startup Fuel Allowance		-8.5	-0.41
TAKEOFF WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "X"			
Fuel Expended (gal)	48		
LANDING WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "O"			
ZERO FUEL WEIGHT/MOMENT			
Locate point on the Center of Gravity Moment Envelope, mark with "E"			
Connect "X", "O", "E" marks. If the points fall within the envelope, the loading is acceptable.			